



Contribution ID : 379

Type : **Oral presentation**

Alpha_s determination from the C-parameter distribution

Saturday, 5 July 2014 10:20 (15)

For the e^+e^- C-parameter we use soft-collinear effective theory to derive a factorization theorem, and then compute the cross section at N³LL + O(α_s^3). Differences with Thrust are highlighted. Our result holds for C in the peak, tail, and far tail regions, and we treat hadronization effects using a universal nonperturbative soft function defined in field theory. We analyze all available C-parameter tail data and obtain a global fit for $\alpha_s(m_Z)$ and one nonperturbative parameter Ω_1^C with χ^2/dof close to 1. These C-parameter results for $\alpha_s(m_Z)$ and Ω_1 are in excellent agreement with earlier results from thrust. Furthermore, for the first time we include hadron mass effects in the analysis of thrust and C-parameter experimental data.

Summary

Primary author(s) : Dr. MATEU, Vicent (IFIC)

Co-author(s) : Dr. HOANG, Andre (MPI Munich); Mr. KOLODRUBETZ, Daniel (MIT); Prof. STEWART, Iain (MIT)

Presenter(s) : Dr. MATEU, Vicent (IFIC)

Session Classification : Strong Interactions and Hadron Physics

Track Classification : Strong Interactions and Hadron Physics