

The Earth as a transducer for dark-photon dark-matter detection

Monday, 30 August 2021 17:40 (15)

In this talk, I will propose the use of the Earth as a transducer for ultralight dark-matter detection. In particular I will point out a novel signal of kinetically mixed dark-photon dark matter: a monochromatic oscillating magnetic field generated at the surface of the Earth. Similar to the signal in a laboratory experiment in a shielded box (or cavity), this signal arises because the lower atmosphere is a low-conductivity air gap sandwiched between the highly conductive interior of the Earth below and ionosphere or interplanetary medium above. At low masses (frequencies) the signal in a laboratory detector is usually suppressed by the size of the detector multiplied by the dark-matter mass. Crucially, in our case the suppression is by the radius of the Earth, and not by the (much smaller) height of the atmosphere. The magnetic field signal exhibits a global vectorial pattern that is spatially coherent across the Earth, which enables sensitive searches for this signal using unshielded magnetometers dispersed over the surface of the Earth. I will summarize the results of such a search using a publicly available dataset from the SuperMAG collaboration. The constraints from this search are complementary to existing astrophysical bounds. Future searches for this signal may improve the sensitivity over a wide range of ultralight dark-matter candidates and masses.

Reference to paper (DOI or arXiv)

arXiv:2106.00022

Your gender (free text)

Primary author(s) : KALIA, Saarik (Stanford University)

Co-author(s) : Dr. FEDDERKE, Michael (The Johns Hopkins University); Prof. GRAHAM, Peter (Stanford University); Prof. JACKSON KIMBALL, Derek (California State University, East Bay)

Presenter(s) : KALIA, Saarik (Stanford University)

Session Classification : Discussion Panel Dark Matter 2

Track Classification : Dark Matter and its detection