



UNIVERSIDAD
DE
CÓRDOBA

Jorge Berenguer Antequera
University of Cordoba

1st DRDCalo - Spain Meeting
IFIC – Valencia
13th January 2026

What do we do at UCO?



Young University: ~50 years

Research

~200 research groups

Biomedical Sciences

Agri-food Sciences



Collaborating since 2023

**Modeling and
Simulation of Physics
Systems**



KDISLab
Knowledge Discovery and
Intelligent Systems

2024

Jorge Berenguer Antequera

→ 2020: R&D in highly segmented calorimetry

→ 2023 Joining CALICE

José Luis Ávila Jiménez

→ Graph Neural Networks and particle physics

→ UCO Project: Computational development for experiments of a Higgs factory based on an e+e- collider - 2023 IP.- **Jorge Berenguer Antequera (UCO)**

→ Ministry Project: Advancing in HEP: Collider Experiments and Technological R&D. PID2024-158190NB-C22 IP.- **Mary-Cruz Fouz Iglesias (CIEMAT)**

People

Jorge Berenguer Antequera

Participation in CALICE from 2009-2013: PhD thesis in the SDHCAL group at CIEMAT

Postdoct in Turin (2018-2020)

COMPASS: MPGD prototype for future fixed-target experiments at the SPS and EIC

CMS: ECAL VFE for HL-LHC period (pandemic through)

AMBER Experiment (2023)

HARDWARE: Collaboration with Turin for development of MM for tracking system

ANALYSIS “Antimatter production cross-section for indirect search DM” Group

José Luis Ávila Jiménez

IA expert: embedded systems, biomedicine, industry, and military.

Competitive research and technology transfer projects

International collaborations in Germany

GNN for Particle Physics



WP1: Highly granular calorimeters

Task 1.3: Hadronic section with gaseous readout


Subtask 1.3.1:
T-SDHCAL

Resistive Plate Chambers/
Steel

6.2

e^+e^- collider
central detector

Prototype for
finalising R&D for LC,
Specification for CC and
of timing for PFA needed



SDHCAL Technological prototype

Semidigital Hadronic Calorimetry – GRPC based

Timing measurement

- Separation of nearby hadronic showers
- Improve PFA application

- Simulation studies to implement the time information
- Study and development of a cooling system and new cassettes
- New readout electronics (“faster” ~100 ps)
- Data acquisition (DAQ) system
- Construction of several MGRPC prototypes
- Beam testing of MGRPC prototypes

Graph Neural Network

Signal classification





SDHCAL- Quickly Description

SDHCAL Prototype ($6\lambda_1$)





Dimensions: $\sim 1\text{m}^3$
 48 GRPCs ($\sim 1\text{m}^2$ each)
 96x96 pads of 1cm^2 each
 ~ 500 kchannels
 3 thresholds
 Semidigital readout
 Know how many and which hits
 overcome each threshold



Tests on CERN's PS and SPS
 2012, 2015, 2017, 2018, 2020 2022



Resolution improvement $\sim 7\%$



High granularity: great detail of the showers
 Easing PID (digital and semi-digital mode)



Exploring the SDHCAL data

Highly granular design of the SDHCAL prototype:

- Transforming real calorimeter events into graphs
- Using GNNs to identify signals

2012 test campaigns:







Pion and electron beams at 50 GeV



Clustering

Reduction: grouping hits into clusters to decrease computational complexity.

- Spatial proximity (Nearest neighbors)
- Depth-First Search (DFS)



Density = N_{hit}/N_{planes}

Bachelor Thesis: Signal clustering in resistive glass plane chambers (GRPC) of a prototype hadronic calorimeter for future e+e- collider experiments

Francisco José Ruiz López

Supervisor: Jorge Berenguer Antequera

Graph Neural Network in HEP

Particle detectors generate relational and non-Euclidean data:

- Non-planar geometry (generally)
- Point clouds, graphs, and surfaces
- Topological correlation between signals

→ **GNN:** Deep Learning models designed for graph-structured data

→ **Representation:** nodes: hits or clusters edges: physical relationships.

→ **Applications:** tracking, event classification, PID


→ **Performance:**

Accuracy: ratio of events correctly classified over the total number of events

Recall: ratio of true elements identified by the model

F-Score combining accuracy and recall

$$F_1 = 2 \cdot \frac{\text{accuracy} \cdot \text{recall}}{\text{accuracy} + \text{recall}}$$




Exploring GNN performance with SDHCAL data

- First approach to computational challenges:

- Complexity in graph generation
- Model execution
- Computationally expensive but manageable

- Real data used pi (5 GeV) and e⁻ (10 GeV) taking with the SDHCAL


- Preprocessing: Python pipeline with batching and multiprocessing
Up to 75% improvement in computational time
- Representation: each event is modeled as a multilayer graph of hits connected by its geometry
- Model: DGCNN(Deep Graph Convolutional Neural Network)
implemented with StellarGraph + TensorFlow/Keras for graph classification
- Results: AUC ≈ 0.875, with precision and recall > 0.75 for electron/pion signal identification



Bachelor Thesis Modeling particle physics detections using graph neural networks.



Esteban Morales Casasola

Director: José Luis Ávila Jiménez



Exploring GNN performance with SDHCAL data

- **Goal:** Separation of muons from “no-muon” signals (pions, electrons, cosmics, noise)
- **2012 test campaigns**
 - Pion beams with electron contamination
 - Electron beams with pion contamination
 - Energies: 10 GeV, 30 GeV y 60 GeV
- **Clustering**
- **Representation:** modeling each event as a graph between consecutive GRPCs of the SDHCAL
- **Nodes:** Cluster size and distance from the centroid to the beam direction



Master Thesis: Exploring ML methods for signal identification in the SDHCAL

Francisco José Muñoz Peñas

Director: Jorge Berenguer Antequera

Exploring GNN performance with SDHCAL data




- Training sample: pion beam at 30 GeV

→ Total events: 9.6×10^5

- Topological Criteria

- 60% muons (5.7×10^5 events)
- 40% "no-muons" (3.9×10^5 events)
- ratio ~ 1.5
- 70% of the total events
- Remaining 30% as self-assessment
- Keeping ratio ~ 1.5





Topological Criteria	
Criterio	Descripción
Densidad	Densidad menor que 3.5.
Suceso del haz	Señal en las primeras GRPC.
Señal en planos finales	Alguna GRPC de las cinco últimas activa.
Suceso completo	< 3 GRPC consecutivas sin <i>hits</i> .
Suceso único	Una sola traza significativa en la entrada.





Exploring GNN performance with SDHCAL data

- Different configurations to optimize the performance - 10 epoch


- Number of neurons per layer 16, 32, 64, and 128: learning capacity and computational complexity
- Network depth 2 and 3 layers: improves its classification task performance or introduces overfitting issues
- Number of neurons and depth of the network are key factors




Exploring GNN performance with SDHCAL data




Simple filters to exclude extreme cases.
 Requiring a minimum number of GRPCs with signal to help classify muon events



Incomplete events







Noise, muons stronger or pions weaker than usual e- events



Hybrid approach: combine model decisions with simple filters to suppress extreme events while preserving generalization.

Other energy values



Summary

- **UCO joined DRD6:**
 - Modeling and Simulation of Physical Systems Group (Physics)
 - KDISLab Group (Computing)
- **WP1.- Highly granular calorimeter.**
 - Task 1.3.-** Hadronic section with gaseous readout
 - Task 1.3.1.- TSDHCAL Simulation studies incorporating time-domain information and participation in future test beams**
- **Application of ML techniques to highly segmented calorimetry data**
- **Initial study of GNNs computational requirements**
expensive but manageable
- **Use of GNNs for signal separation**
 - e^- vs π at 5 GeV → separating cascades at low energies is a significant challenge**
 - muons vs “non-muons” → promising results over a wide energy range**
- **2 BSc theses and 1 MSc thesis**

Summary

→ Projects

- **UCO Project:** Computational development for experiments of a Higgs factory based on an e^+e^- collider - 2023
IP- Jorge Berenguer Antequera (UCO)
- **Ministry Project:** Advancing in HEP: Collider Experiments and Technological R&D. PID2024-158190NB-C22
IP.- Mary-Cruz Fouz Iglesias (CIEMAT)

→ Next Steps

- Use GNNs for cascade separation (π / e^-)
- Start simulation studies to implement the time information
- Expected results:
1 BSc Theses and 1 MSc Thesis 2025/2026
PhD Theses on going: Olmo Arquero Peinazo (FPU Grant)
Supervisor: Mary-Cruz Fouz Iglesias (CIEMAT)
Co-Supervisor: Jorge Berenguer Antequera (UCO)



UNIVERSIDAD
DE
CÓRDOBA

**Thank you for
your attention**